

PRISCA 5.1.0.17

Licensed for: 360 Diagnostic and Health Services Pvt. Ltd.

### Result Down's syndrome screening


Name	MRS. SAMTAJ KAUR	Sample no	10010838 /NOD	IVF	no
Patient ID	10010838	Weight	73.5 kg	Smoking	no
Doctor	360 DIAGNOSTIC & HEALTH SERVICES	Fetuses	1	diabetes	no
		Birthday	27-09-1987	Ethnic origin	Asian
		Age at delivery	34.3	Day of serum taking	18-07-2021
		Previous trisomy 21 pregnancies	no	Date of report:	19-07-2021

### Corrected MoM's and calculated risks

AFP	20.1 ng/ml	0.71	Corr. MoM
HCG	35123 miu/ml	1.18	Corr. MoM
uE3	0.7 ng/ml	1.22	Corr. MoM
Inh-A	178 pg/ml	1.27	Corr. MoM

### Ultra sound data

Day of ultra sound	22-06-2021	Nuchal translucency	1.7 mm
CRL	62.3 mm	Nasal bone	present
Gestational age by CRL	12 + 3	Measured by	DR. JASWINDER SINGH
Gestation age on the day of serum taking	16 + 1	Qualifications in measuring NT	M.D



Biochem. risk + NT  
at term  
1:3875

Age risk  
at term  
1:496

#### TRISOMY 18 SCREENING

The calculated risk for trisomy 18 (with nuchal translucency) is < 1:10000, which represents a low risk.

#### NEURAL TUBE DEFECTS (NTD) SCREENING

The corrected MoM AFP (0.71) is located in the low risk area for neural tube defects.

The patient combined risk presumes the NT measurement was done according to accepted guidelines (Prenat Diagn 18: 511-523 (1998)).

The laboratory can not be hold responsible for their impact on the risk assessment ! Calculated risks have no diagnostic value!

■ below cut off      ■ Below Cut Off, but above Age Risk      ■ above cut off